

**Code****Company name** HOSE**Date** 09/30/2022**Subject** AMD and LHG removed from VNSmall, VNAllshare & VNX Allshare**Content:**

1. Hochiminh Stock Exchange announces the removal and replacement of component stocks in HOSE-Indexes as follows:

<b>Basket</b>	<b>Removed stock</b>	<b>Reason</b>	<b>Effective date</b>
<b>VNSmallcap</b>	<b>AMD</b> (FLC Stone Mining and Investment Joint Stock Company)	<b>AMD</b> is changed from the warning status to the supervision status according to Decision No.723/QD-SGDHCM dated September 29, 2022 by Hochiminh Stock Exchange.	October 06, 2022
	<b>LHG</b> (Long Hau Corporation)	<b>LHG</b> is changed from the warning status to the supervision status according to Decision No.725/QD-SGDHCM dated September 29, 2022 by Hochiminh Stock Exchange.	October 06, 2022
<b>VNAllshare</b>	<b>AMD</b> (FLC Stone Mining and Investment Joint Stock Company)	<b>AMD</b> is changed from the warning status to the supervision status according to Decision No.723/QD-SGDHCM dated September 29, 2022 by Hochiminh Stock Exchange.	October 06, 2022
	<b>LHG</b> (Long Hau Corporation)	<b>LHG</b> is changed from the warning status to the supervision status according to Decision No.725/QD-SGDHCM dated September 29, 2022 by Hochiminh Stock Exchange.	October 06, 2022

The removal and replacement will not change the capping factor of components in VNSmall, VNAllShare.

2. Hochiminh Stock Exchange and Hanoi Stock Exchange announce the removal of component stocks in VNX Allshare of VNX-Indexes as follows:

<b>Basket</b>	<b>Stock</b>	<b>Reason</b>	<b>Effective date</b>
VNX AllShare	<b>AMD</b> (FLC Stone Mining and Investment Joint Stock Company)	<b>AMD</b> is changed from the warning status to the supervision status according to Decision No.723/QD-SGDHCM dated September 29, 2022 by Hochiminh Stock Exchange.	October 06, 2022
	<b>LHG</b> (Long Hau Corporation)	<b>LHG</b> is changed from the warning status to the supervision status according to Decision No.725/QD-SGDHCM dated September 29, 2022 by Hochiminh Stock Exchange.	October 06, 2022

The removal and replacement will not change the capping factor of components in the basket.